Doc code: IDS Doc description: Information Disclosure Statement (IDS) Filed

PTO/SB/08a (01-10)

Approved for use through 07/31/2012. OMB 0651-0031

Mation Disclosure Statement (IDS) Filed

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	Application Number		10575905	
	Filing Date		2007-04-30	
	First Named Inventor Hattor		ori et al.	
STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)	Art Unit		1644	
(Not for Submission under or or it not)	Examiner Name	Ilia I. (	Ouspenski	
	Attorney Docket Number	er	14875-0161US1	

	U.S.PATENTS F							Remove			
Examiner Initial*	Cite No	Patent Number	Kind Code <sup>1</sup>	Issue D	ate	Name of Patentee or Applicar of cited Document		Releva		Lines where les or Relev	
	1	5945311		1999-08	-31	LINDHOFER e	et al.				
If you wisl	h to ade	d additional U.S. Pater	nt citatio	n inform	ation pl	ease click the	Add button.		Add		
			U.S.P.	ATENT	APPLIC	CATION PUBL	LICATIONS		Remove		
Examiner Initial*	Cite N	o Publication Number	Kind Code <sup>1</sup>	Publica Date	tion	Name of Pate of cited Docu	entee or Applicant ment	Releva		Lines where les or Relev	
	1	20090324589		2009-12	-31	IGAWA et al.					
If you wisl	h to ade	d additional U.S. Publi	shed Ap	plication	citation	n information p	lease click the Add	button	. Add		
				FOREIG	SN PAT	ENT DOCUM	ENTS		Remove		
Examiner Initial*		Foreign Document Number³	Country Code <sup>2</sup>		Kind Code <sup>4</sup>	Publication Date	Name of Patented Applicant of cited Document	or I	vhere Rele	or Relevant	<b>T</b> 5
	1	1510943	EP			2005-03-02	SAITO et al.				
	2	1870459	EP			2007-12-26	IGAWA et al.				
	3	09506001	JP			1997-06-17	LINDHOFER et al.				

Application Number		10575905		
Filing Date		2007-04-30		
First Named Inventor Hattor		ri et al.		
Art Unit		1644		
Examiner Name Ilia I.		Ouspenski		
Attorney Docket Number		14875-0161US1		

	4	9533844	WO		1995-12-14	LINDHOFER et al.				
	5	9627011	WO		1996-09-06	CARTER et al.				
	6	9803546	WO		1998-01-29	BOONE et al.				
	7	2006106905	WO		2006-10-12	IGAWA et al.				
If you wisl	n to ac	d additional Foreign Pa	atent Document	citation	information pl	ease click the Add button	Add			
			NON-PATEN	NT LITE	RATURE DO	CUMENTS	Remove			
Examiner Initials*	Cite No		nal, serial, symp	osium,	catalog, etc), c	the article (when appropr late, pages(s), volume-is		T5		
	1	FISH & RICHARDSON P.C., Amendment in Reply to Action dated September 24, 2009 in U.S. App. Ser. No. 10/575,193, filed March 24, 2010, 19 pages								
	2		U.S. EXAMINER MICHEL EDWARD SZPERKA, USPTO Final Office Action in U.S. App. Ser. No. 10/575,193, mailed June 23, 2010, 18 pages							
	3	SCHMIDT et al., Human Physiology, Moscow, 2:431-436 (1996), and English translation: SCHMIDT et al., "Hemostatis and Coagulation," Human Physiology, R.F. Schmidt, G. Thews (Eds.), Second, Completely Revised Edition, 418-423 [translated by Marguerite A. Biederman-Thorson], Springer-Verlag, 1989								
	4		Physiology, R.F.	Schmid	t, G. Thews (Ed:	English translation: SCHMID s.), Second, Completely Rev , 1989		×		
	5	ADAMS et al., "Humaniz inhibitor, pertuzumab," C				dy to produce a therapeutic (2006)	HER dimerization			

Application Number		10575905		
Filing Date		2007-04-30		
First Named Inventor Hattor		ri et al.		
Art Unit		1644		
Examiner Name	Ilia I.	Ouspenski		
Attorney Docket Number		14875-0161US1		

6	BINZ et al., "Engineering novel binding proteins from nonimmunoglobulin domains," Nat. Biotechnol., 23:1257-68 (2005)	
7	BRANDEN and TOOZE, "Recognition of Foreign Molecules by the Immune System," Introduction to Protein Structure, 2d Ed., Garland Publishing, pp. 299-323 (1999)	
8	COMPER and GLASGOW, "Charge selectivity in kidney ultrafiltration," Kidney Int., 47:1242-51 (1995)	
9	COUTO et al., "Anti-BA46 Monoclonal Antibody Mc3: Humanization Using a Novel Positional Consensus and In Vivo and In Vitro Characterization," Cancer Res., 55:1717-22 (1995)	
10	DEEN et al., "Structural determinants of glomerular permeability," Am. J. Physiol. Renal. Physiol., 281:F579-F596 (2001)	
11	DEL RIO et al., "An Engineered Penicillin Acylase with Altered Surface Charge Is More Stable in Alkaline pH," Ann. NY Acad. Sci., 799:61-64 (1996)	
12	DILLON et al., "Structural and functional characterization of disulfide isoforms of the human IgG2 subclass," J. Biol. Chem., 283:16206-15 (2008)	
13	EWERT et al., "Stability improvement of antibodies for extracellular and intracellular applications: CDR grafting to stable frameworks and structure-based framework engineering," Methods, 34:184-199 (2004)	
14	GHETIE and WARD, "FcRn: the MHC class I-related receptor that is more than an IgG transporter," Immunol. Today, 18:592-598 (1997)	
15	GHETIE et al., "Increasing the serum persistence of an IgG fragment by random mutagenesis," Nat. Biotechnol., 15:637-640 (1997)	
16	GHETIE et al., "Multiple roles for the major histocompatibility complex class I- related receptor FcRn," Annu. Rev. Immunol., 18:739-766 (2000)	

Application Number		10575905		
Filing Date		2007-04-30		
First Named Inventor Hattor		ri et al.		
Art Unit		1644		
Examiner Name	Ilia I.	Ouspenski		
Attorney Docket Number		14875-0161US1		

17	GOBBURU et al., "Pharmacokinetics/dynamics of 5c8, a monoclonal antibody to CD154 (CD40 ligand) suppression of an immune response in monkeys," J. Pharmacol. Exp. Ther., 286:925-930 (1998)	
18	GOODE et al., "The glomerular basement membrane charge-selectivity barrier: an oversimplified concept?," Nephrol. Dial. Transplant., 11:1714-16 (1996)	
19	GRAVES et al., "Molecular modeling and preclinical evaluation of the humanized NR-LU-13 antibody," Clin. Cancer Res., 5:899-908 (1999)	
20	GUPTA et al., "Affinity chromatography and co-chromatography of bispecific monoclonal antibody immunoconjugates," J. Biochem. Biophys. Methods, 51:203-216 (2002)	
21	HANSON et al., "Catalytic antibodies and their applications," Curr. Opin. Biotechnol., 16:631-636 (2005)	
22	HE et al., "Humanization and pharmacokinetics of a monoclonal antibody with specificity for both E- and P-selectin," J. Immunol., 160:1029-35 (1998)	
23	HINTON et al., "An engineered human IgG1 antibody with longer serum half-life," J. Immunol., 176:346-356 (2006)	
24	ITO et al., "The His-probe method: effects of histidine residues introduced into the complementarity-determining regions of antibodies on antigen-antibody interactions at different pH values," FEBS Lett., 309:85-88 (1992)	
25	KASHMIRI et al., "Generation, characterization, and in vivo studies of humanized anticarcinoma antibody CC49," Hybridoma, 14:461-473 (1995)	
26	KHAWLI et al., "Improved tumor localization and radioimaging with chemically modified monoclonal antibodies," Cancer Biother. Radiopharm., 11:203-215 (1996)	
27	KIM et al., "Antibody Engineering for the Development of Therapeutic Antibodies," Mol. Cells, 20:17-29 (2005)	

Application Number		10575905		
Filing Date		2007-04-30		
First Named Inventor Hattor		ri et al.		
Art Unit		1644		
Examiner Name	Ilia I.	Ouspenski		
Attorney Docket Number		14875-0161US1		

28	KIM et al., "Chemical modification to reduce renal uptake of disulfide-bonded variable region fragment of anti-tac monoclonal antibody labeled with 99mTc," Bioconjugate Chem., 10:447-453 (1999)	
29	KIM et al., "Lowering of pl by acylation improves the renal uptake of 99mTc-labeled anti-Tac dsFv: effect of different acylating reagents," Nucl. Med. Biol., 29:795-801 (2002)	
30	KOBAYASHI et al., "The pharmacokinetic characteristics of glycolated humanized anti-Tac Fabs are determined by their isoelectric points," Cancer Res., 59:422-430 (1999)	
31	KREUTZ et al., "Efficient bispecific monoclonal antibody purification using gradient thiophilic affinity chromatography," J. Chromatogr. B, 714:161-170 (1998)	
32	LINDHOFER et al., "Preferential Species-Restricted Heavy/Light Chain Pairing in Rat/Mouse Quadromas," J. Immunol., 155:219-225 (1995)	
33	LOBO et al., "Antibody pharmacokinetics and pharmacodynamics," J. Pharm. Sci., 93:2645-68 (2004)	
34	MANZKE et al., "Single-step purification of bispecific monoclonal antibodies for immunotherapeutic use by hydrophobic interaction chromatography," J. Immunol. Methods, 208:65-73 (1997)	
35	MARTIN et al., "Crystal structure at 2.8 A of an FcRn/heterodimeric Fc complex: mechanism of pH-dependent binding," Mol. Cell, 7:867-877 (2001)	
36	MARVIN et al., "Recombinant approaches to IgG-like bispecific antibodies," Acta. Pharmacol. Sin., 26:649-658 (2005)	
37	MARVIN et al., "Redesigning an antibody fragment for faster association with its antigen," Biochemistry, 42:7077-83 (2003)	
38	MERCHANT et al., "An efficient route to human bispecific IgG," Nat. Biotechnol., 16:677-681 (1998)	

Application Number		10575905		
Filing Date		2007-04-30		
First Named Inventor Hattor		ri et al.		
Art Unit		1644		
Examiner Name	Ilia I.	Ouspenski		
Attorney Docket Number		14875-0161US1		

39	ONDA et al., "Lowering the Isoelectric Point of the Fv Portion of Recombinant Immunotoxins Leads to Decreased Nonspecific Animal Toxicity without Affecting Antitumor Activity," Cancer Res., 61:5070-77 (2001)	
40	PAVLINKOVA et al., "Charge-modified single chain antibody constructs of monoclonal antibody CC49: Generation, characterization, pharmacokinetics, and biodistribution analysis," Nucl. Med. Biol., 26:27-34 (1999)	
41	PAVLOU et al., "The therapeutic antibodies market to 2008," Eur. J. Pharm. Biopharm., 59:389-396 (2005)	
42	PODUSLO et al., "Polyamine modification increases the permeability of proteins at the blood – nerve and blood-brain barriers," J. Neurochem., 66:1599-1609 (1996)	
43	RAJPAL et al., A general method for greatly improving the affinity of antibodies by using combinatorial libraries," Proc. Natl. Acad. Sci. USA, 102:8466-71 (2005)	
44	RATHANASWAMI et al., "Demonstration of an in vivo generated sub-picomolar affinity fully human monoclonal antibody to interleukin-8," Biochem. Biophys. Res. Commun., 334:1004-13 (2005)	
45	REICHERT et al., "Monoclonal antibody successes in the clinic," Nat. Biotechnol., 23:1073-78 (2005)	
46	SAL-MAN et al., "Arginine mutations within a transmembrane domain of Tar, an Escherichia coli aspartate receptor, can drive homodimer dissociation and heterodimer association in vivo," Biochem. J., 385:29-36 (2005)	
47	SCHAEFFER et al., "The Rat Glomerular Filtration Barrier Does Not Show Negative Charge Selectivity," Microcirculation, 9:329-342 (2002)	
48	SEGAL et al., "Bispecific antibodies in cancer therapy," Curr. Opin. Immunol., 11:558-562 (1999)	
49	SHAUL, "Exploring the charge space of protein-protein association: a proteomic study," Proteins, 60:341-352 (2005)	

Application Number		10575905	
Filing Date		2007-04-30	
First Named Inventor	Hattori et al.		
Art Unit		1644	
Examiner Name	Ilia I. Ouspenski		
Attorney Docket Number		14875-0161US1	

	50	SHIELDS et al., "High resolution mapping of the binding site on human IgG1 for Fc gamma RI, Fc gamma RII, Fc gamma RIII, and FcRn and design of IgG1 variants with improved binding to the Fc gamma R," J. Biol. Chem.,						
		276:6	5591-6604 (2001)					
If you wish to add additional non-patent literature document citation information please click the Add button Add								
EXAMINER SIGNATURE								
Examiner Signature		iture		Date Considered				
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through a citation if not in conformance and not considered. Include copy of this form with next communication to applicant.								
<sup>1</sup> See Kind Codes of USPTO Patent Documents at <a href="www.USPTO.GOV">www.USPTO.GOV</a> or MPEP 901.04. <sup>2</sup> Enter office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>3</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>4</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. <sup>5</sup> Applicant is to place a check mark here if English language translation is attached.								